


- ① Install ceiling bracket onto junction box as shown.



- ② Connect power cord to power and tuck wires thru main hole of ceiling bracket (refer to appropriate wiring diagram page).

Slide fixture/SPG assembly onto ceiling bracket as shown.

Secure SPG bracket with screws (4).


Fixture Weight: 16 lbs



**Risk of fire and electrical shock.**  
Disconnect power at electrical panel before servicing.  
Fixture must be installed by a qualified electrician only in accordance with national, local building and electrical codes.

#### NOTES:

Do not energize luminaire until installation is completed.  
General contractor is responsible for providing appropriate anchoring devices to support load of fixture.  
Please call customer service for any questions.



- ⑤ Lift canopy unto bracket until it clicks/attaches to magnets (2).  
Canopy should firmly stay in place.




**Risk of fire and electrical shock.**  
Disconnect power at electrical panel before servicing.  
Fixture must be installed by a qualified electrician only in accordance with national, local building and electrical codes.

### NOTES:

Do not energize luminaire until installation is completed.  
General contractor is responsible for providing appropriate anchoring devices to support load of fixture.  
Please call customer service for any questions.

### WIRING DIAGRAM



10% Dimming or better.  
0-10V - 4 wire dimming -  
Constant Current Reduction  
(CCR) or PWM.  
Dimming signal via two low  
voltage dimming control wires.  
Versatile and stable over long  
runs - maximum circuit loading.



**Risk of fire and electrical shock.**  
Disconnect power at electrical panel before servicing.  
Fixture must be installed by a qualified electrician only in  
accordance with national, local building and electrical codes.

**NOTES:**

Do not energize luminaire until installation is completed.  
General contractor is responsible for providing  
appropriate anchoring devices to support load of fixture.  
Please call customer service for any questions.